### COLUMBUS CONSOLIDATED GOVERNMENT

Georgia's First Consolidated Government



# FINANCE DEPARTMENT PURCHASING DIVISION

100 TENTH STREET, P. O. Box 1340 COLUMBUS, GEORGIA 31902-1340 706-653-4105, Fax 706-225-3033 BidLine 706-225-4536 www.columbusga.org

March 21, 2018

## Addendum No. One

# Trailers RFB No. 18-0037

Acknowledgment of receipt of Addenda must be included with sealed Bid.		
Initials:	Company:	

Vendors are informed that the above subject Request for Bid (RFB) is hereby modified, corrected, or supplemented as specified, described and set forth in this Addendum:

#### A. City's response to submitted request for clarification:

1. Question: "We are working on the bid for trailers and have one question on the 50-ton detachable. The bid is labeled a 50-ton, but the specs call for a 55-ton. Would you like for us to go off of the specs?"

Response: Please use attached REVISED specifications (FORM 2c-rev) and REVISED Bid Form Pricing Page (FORM 3c-rev).

2. Question: "What will each type of trailer be used for?"

#### Response:

- 16 FT Utility Trailers: The trailers will be used by crews to transport equipment to different job sites.
- 55-Ton Tri-Axle Lowboy Trailer: The trailer will transport heavy equipment. It will also be used to transport other various types of equipment, supplies, and used to support other departments and divisions.
- 20 FT Backhoe Equipment Trailer: The trailer will transport backhoes, mini-excavators, and other types of equipment to and from job sites throughout Muscogee County.

Trailers Page 1 of 7 Addendum No. One

3. Question: "Do you have max weight specs for each?"

#### Response:

- 16 FT Utility Trailers: 4,000lbs rated capacity
- 55-Ton Tri-Axle Lowboy Trailer: 55 tons
- 20 FT Backhoe Equipment Trailer: 20,000lbs rated capacity.
- 4. Question: "What type of hitch/ball will be used? Or, will they be pintle hitches?"

### Response:

- 16 FT Utility Trailers: Ball
- 55-Ton Tri-Axle Lowboy Trailer: 5th Wheel
- 20 FT Backhoe Equipment Trailer: Lunette Eye/Pintle
- 5. Question: "What type of electrical connections?"

## Response:

- 16 FT Utility Trailers:7-Pin
- 55-Ton Tri-Axle Lowboy Trailer: 8-Pin
- 20 FT Backhoe Equipment Trailer: 7-Pin
- 6. Question: "What kind of brakes do they require? Electric or hydraulic surge?"

#### Response:

- 16 FT Utility Trailers: Electric
- 55-Ton Tri-Axle Lowboy Trailer: Air Brakes
- 20 FT Backhoe Equipment Trailer: Electric

### B. Addendum Acknowledgement

Indicate that your company has received this Addendum in the appropriate areas and include with sealed Bid. Failure to acknowledge receipt of this addendum may render your Proposal "Incomplete".

Andrea J. McCorvey Purchasing Division Manager

# **REVISED**

# **SPECIFICATIONS FOR**

# Tri-Axle 55-Ton Detachable Lowboy Trailer RFB No. 18-0037

(Quantity of One)

EQUIPMENT IDENTITY:	MFG:
TRI-AXLE 55-TON DETACHABLE LOWBOY TRAILER	MODEL:
VENDOR'S NAME:	
DETAILED DESCRIPTION	VENDOR'S SPECIFICATIONS
1. <b>CAPACITY:</b> 55 Tons in 12 Feet Concentrated Load / 55 Tons in 16 Feet 3+1 Concentrated Load	
2. <b>OVERALL LENGTH:</b> 53 Feet minimum	
3. OVERALL WIDTH: 10 Feet	
4. <b>DECK LENGTH:</b> 24 Feet minimum	
5. DECK HEIGHT: 22 Inches – Loaded	
<ul> <li>6. DECK FLOORING: Apitong – 1 1/2 inches, covering outside and center deck.</li> <li>-Apitong is a South American Hardwood that is 3 times as</li> </ul>	
dense as oak, providing more strength and increased life span.	
7. NO RECESSED CROSSMEMBERS IN REAR (FLOOR TO REAR OF DECK)	
8. MAINBEAMS: Minimum of 16 Inch Fabricated I-Beams – Positive Camber	
9. SIDE RAILS: 14 Inch Foot Fabricated I-Beams – Positive Camber	
<b>10. CROSS MEMBERS:</b> Minimum of 10 Inch Foot I-Beam – 20 Inch O.C.	
<b>11. GOOSENECK:</b> Non-Ground Bearing Hydraulic Detachable Neck  – Set up for Wetline	

EQUIPMENT IDENTITY:	MFG:
TRI-AXLE 55-TON DETACHABLE LOWBOY TRAILER	MODEL:

VENDOR'S NAME:	
DETAILED DESCRIPTION	VENDOR'S SPECIFICATIONS
12. STANDARD HYDRAULIC FITTINGS	
<b>13. PRESSURE:</b> Parker 6601-8-10 Female Coupler; Parker 6602-8-10 Male Nipple	
<b>14. RETURN:</b> Parker 6601-8-10 Female Coupler; Parker 6602-8-10 Male Nipple	
15. KING PIN SETTING: 16 Inches	
16. KING PIN PLATE: 5/16 Plate	
17. KING PIN SWING RADIUS: 108 Inches	
<b>18. KING PIN HEIGHT:</b> 50 Inches (4 positions – Deck Heights: 24 Inches, 22 Inches, 20 Inches, 18 Inches)	
19. DOVETAIL: NO	
20. REAR WHEEL WELL: Covered with Steel Deck Plate - **NO Traction Bars**	
<b>21. BOOM TROUGH:</b> "V" Trough with Steel Covering (Close to Top Flange as Possible) and Slope	
22. FLAT BUMPER ON REAR	
23. REAR LOADING RAMP: NO	
<b>24. FRONT LOADING RAMP:</b> Front Flip Ramps – 18 Inches X 31 Inches – Steel with Traction Bars	
25. LANDING GEAR: None	
<b>26. D-RING</b> : 16	

EQUIPMENT IDENTITY:	MFG:
TRI-AXLE 55-TON DETACHABLE LOWBOY TRAILER	MODEL:

VENDOR'S NAME:	
DETAILED DESCRIPTION	VENDOR'S SPECIFICATIONS
27. WIDENING BRACKET: 11 Pair of 12 Inch Brackets (Extends Deck Width 2 Feet)	
28. TOOL BOX: Tool Box in Front of Deck with Lockable Lid - Please list any additional tool storage options that your company offers.	
<b>29. AXLE:</b> Three (3) – 25,000 lb. Capacity with 49-Inch Axle Spacings, Auto Slack, ABS	
30. SETUP FOR 4 <sup>TH</sup> FLIP OR SB: NO	
31.4TH FLIP AXLE OR SB: NO	
32. SUSPENSION: Hendrickson Turner 250 – Air Ride	
33. WHEELS: Disc – HUB Piloted	
<b>34. TIRES</b> : 275/70R22.5	
35. PARKING BRAKES: Type 30/30 Spring Brakes – 2 Axle	
36. WIRING: D.O.T. Sealed Wiring Harness	
<b>37. LIGHTS:</b> LED with Amber Strobes in Bumper (Change 2 in Center)	
38. PAINT: Red	
39. 4 INCH STUB COSSMEMBERS 12 INCH OC – O/S MAINBEAM	
40. DOCUMENT HOLDER	
41. MANUAL LEVER TO CONTROL LEVELING VALVE	
42. MANUALS:	

EQUIPMENT IDENTITY:	MFG:
TRI-AXLE 55-TON DETACHABLE LOWBOY TRAILER	MODEL:

'ENDOR'S NAME:	
DETAILED DESCRIPTION	VENDOR'S SPECIFICATIONS
a. Operator's Manual – One (1) each	
b. Service Manual – One (1) each	
a. Parts Manual – One (1) each	
43. WARRANTY: One (1) year, 1000 hour warranty	State Warranty:
4. Notice To Dealerships: The Columbus Fleet Management Division	
is authorized by most U.S. automotive and equipment manufacturers to perform warranty work and be reimbursed for both parts and labor at the agreed upon hourly rate between the mfg. and city. If an	
agreement on a make of vehicle or equipment has not been established the vehicle or equipment will be sent to the nearest authorized location for warranty work to be performed. Copies of the manufacturer's warranty on the manufacturer's letterhead must be submitted with the bid.	
<b>45. TITLES AND CERTIFICATE OF ORIGINS:</b> All documents associated with the purchase of vehicles and equipment, especially title applications and certificate of origins, must state "Columbus Consolidated Government" and the purchaser.	

Trailers Page 6 of 7 Addendum No. One

# **REVISED**

# BID FORM (PRICING PAGE) RFB No. 18-0037; Trailers

The undersigned hereby agrees that he/she has carefully examined the specifications herein referred to and will provide all equipment services and terms of the Consolidated Government of Columbus for the equipment described.

DESCRIPTION	QTY	YEAR	MANUFACTURER / MAKE / MODEL	UNIT PRICE	
Tri-Axle 55-Ton Detachable Lowboy Trailer	1			\$	
	All shipping, delivery, and /or freight charges must be included in unit price. Columbus Consolidated Government will pay no additional shipping, delivery, and/or freight charges.				
n the event the Consolidated Government of Columbus would consider options to purchase an additional Tri-axle 55-ton letachable lowboy trailer in the FY18 budget year (July 1, 2017 through June 30, 2018), this cost will be protected. Last ate to place an order at this price is:					
Purchase price for an additional Tri-axle 55- June 2019): <u>\$</u>	-ton deta	achable l	owboy trailer in FY19 budget y	ear (July 2018 through	
Additional purchases are contingent upon p Section VII of bid specifications).	rice con	nparisons	s with the Cooperative Contrac	t Purchase Option (See	
The undersigned agrees to deliver the curr Columbus, GA within days after re				nt, 1011 Cusseta Road,	
All documents associated with the purchase of origins, must state "Columbus Consolidat				lications and certificate	
			ORMATION		
			NE IDENTICAL COPY OF EAC		
By signing this Bid Form, the authorized reprinted information, WHICH DOES NOT AFFECT					
shall have two (2) days, after notification to so					
within two (2) days, the Bidder shall be deem		-		deemed "Incomplete".	
Use the following check-list to verify the items					
· · · · · · · · · · · · · · · · · · ·			terature	ON .	
	•		led Specification Pages f the following addenda (if any):		
	_	_	2 Addendum No. 3 _		
BUSINESS NAME		TAX ID#	<del> </del>		
		11111111111			
BUSINESS ADDRESS (P.O. Boxes Will Render Bid Incomplete)		CITY	STATE	ZIP CODE	
BUSINESS REMITTANCE/MAILING ADDRESS		CITY	STATE	ZIP CODE	
PHONE NUMBER FAX NUMBER			EMAIL ADDRESS		
SIGNATURE OF AUTHORIZED REPRESENTATIVE			DATE OF SIGNATURE		
'PRINT" NAME AND TITLE OF AUTHORIZED REPP	RESENTA	TIVE			
Please initial if business is Minority or Woma	an owned;	; if not, "N/	/A"; Minority owned: Won	nan owned:	

Trailers Page 7 of 7 Addendum No. One